



**SAFETY DATA SHEET**  
according to 1907/2006/EC, Article 31

Page 1/7

**Масло Газпромнефть Редуктор CLP-68**  
**(Gazpromneft Reductor CLP-68)**

Revision 0  
Revision date 01.06.2015

<b>1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY</b>	
<b>1.1. Product Identifier</b>	
<b>Product name</b>	Масло Газпромнефть Редуктор CLP-68 (Gazpromneft Reductor CLP-68)
<b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b>	
<b>Description</b>	Industrial gear oil
<b>1.3. Details of the supplier of the safety data sheet</b>	“Gazpromneft – lubricants”, Ltd, 125A, Profsoyuznaya str., Moscow, 117647, Russia. <a href="mailto:Lubricants@gazprom-neft.ru">Lubricants@gazprom-neft.ru</a> Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax +7 495 921-48-63
<b>Only Representative</b>	REACHLaw Ltd. Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland Tel. +358(0) 9 412 3055 Email: <a href="mailto:sds@reachlaw.fi">sds@reachlaw.fi</a>
<b>1.4. Emergency telephone number</b>	1-760-476-3962 (America) 1-760-476-3961 (Europe, Middle East&Africa) 1-760-476-3960 (Asia Pacific): Global Response Access Code: 333497
<b>2. HAZARDS IDENTIFICATION</b>	
<b>2.1. Classification of the substance or mixture</b>	
<b>Main hazards</b>	No Significant Hazard
<b>2.2. Label elements:</b>	
<b>Regulation (EC) No 1272/2008 (CLP):</b>	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Special Provisions: EUH210: Safety data sheet available on request. Contains: Long-chain alkyl amine. May produce an allergic reaction.
<b>Adverse physicochemical, human health and environmental effects:</b>	No other hazards
<b>Ingredient(s) with unknown acute toxicity:</b>	None
<b>2.3 Other hazards</b>	
	No Significant Hazard
<b>Further information</b>	
	This substance/mixture does not meet the PBT/vPvB criteria of REACH, annex XIII.
<b>3. COMPOSITION/INFORMATION ON INGREDIENTS</b>	
<b>3.1 Substances</b>	
	Not applicable: this product is regulated as a mixture.

## Масло Газпромнефть Редуктор CLP-68 (Gazpromneft Reductor CLP-68)

Revision 0  
Revision date 01.06.2015

### 3.2 Mixtures (EC) No 1272/2008

Chemical Name	Index.No	CAS No	EC No	Reach Registration Number	Conc. (%w/w)	Classification
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601-36-0023	90-95	Product is not classified
Base oil - unspecified - Residual oils (petroleum), solvent-dewaxed	649-471-00-X	64742-62-7	265-166-0	01-2119480472-38-0023	0-5.0	Product is not classified
Long-chain alkyl amine	-	Proprietary	Proprietary	Not Available	0-0.5	Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

### Description

	All base oils contained in this product have a value of < 3% w DMSO extract according to IP 346/92.
--	---

### Further information

	Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.
--	--

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Inhalation</b>	May cause irritation to mucous membranes. Move the exposed person to fresh air. If symptoms persist seek medical assistance.
<b>Eye contact</b>	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical advice if irritation or symptoms persist.
<b>Skin contact</b>	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothes. Seek medical advice if irritation or symptoms persist. Repeated or prolonged exposure may cause dermatitis.
<b>Ingestion</b>	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Rinse mouth with water. Seek medical assistance immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	No further relevant information available.
<b>Eye contact</b>	No further relevant information available.
<b>Skin contact</b>	No further relevant information available.
<b>Ingestion</b>	No further relevant information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

	Seek medical attention if irritation or symptoms persist
--	--

## Масло Газпромнефть Редуктор CLP-68 (Gazpromneft Reductor CLP-68)

Revision 0  
Revision date 01.06.2015

<b>5. FIRE-FIGHTING MEASURES</b>	
<b>5.1. Extinguishing media</b>	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO <sub>2</sub> ); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.
<b>5.2. Special hazards arising from the substance or mixture</b>	Burning produces irritating, toxic and obnoxious fumes. Combustion products highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion.
<b>5.3. Advice for firefighters</b>	Wear suitable respiratory equipment when necessary. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.
<b>6. ACCIDENTAL RELEASE MEASURES</b>	
<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	Eliminate all sources of ignition in vicinity of spilled material. Ensure adequate ventilation of the working area. Surfaces contaminated with the product will become slippery. Wear personal protection equipment. See protective measures under point 7 and 8.
<b>6.2. Environmental precautions</b>	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.
<b>6.3. Methods and material for containment and cleaning up</b>	Use appropriate techniques such as applying noncombustible absorbent materials or pumping. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.
<b>6.4. Reference to other sections</b>	See also section 8 and 13
<b>7. HANDLING AND STORAGE</b>	
<b>7.1. Precautions for safe handling</b>	Avoid contact with skin and eyes, inhalation of vapors and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
<b>7.3. Specific end use(s)</b>	No further relevant information available.

## Масло Газпромнефть Редуктор CLP-68 (Gazpromneft Reductor CLP-68)

Revision 0  
Revision date 01.06.2015

<b>8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>	
<b>8.1. Control parameters</b>	
Base oil - unspecified - lubricating oils	WEL 8-hr limit mg/m <sup>3</sup> : 5.4 (aerosol)
<b>8.2. Exposure controls</b>	
<b>8.2.1. Appropriate engineering controls</b>	All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled.
<b>8.2.2. Individual protection measures:</b>	Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
<b>Eye/face protection</b>	Not needed for normal use. Anyway, operate according good working practices. In case of splashing, wear: approved safety goggles.
<b>Skin protection-Hand protection</b>	Wear suitable gloves. Wash hands after handling the product.
<b>Respiratory protection</b>	Not needed for normal use. Ensure adequate ventilation of the working area.
<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>	
<b>Appearance</b>	Homogenous, viscous liquid
<b>Odour</b>	Petroleum odor
<b>pH</b>	Not applicable
<b>Pour point</b>	< - 18 °C
<b>Initial boiling point and boiling range</b>	Not applicable
<b>Flash point</b>	>210 °C (Cleveland Open Cup, ASTM D 92)
<b>Evaporation rate</b>	Not applicable
<b>Upper/lower flammability</b>	187 °C / 232 °C
<b>Vapour density</b>	Not applicable
<b>Vapour pressure</b>	<0.01 kPa
<b>Relative density</b>	Not determined
<b>Solubility in water</b>	Insoluble
<b>Partition coefficient: n-octanol/water</b>	Not determined
<b>Auto-ignition temperature</b>	342 °C
<b>Decomposition temperature</b>	Not applicable
<b>Viscosity (at 40 °C)</b>	61,20-74,80 mm <sup>2</sup> /s (ASTM D 445)
<b>Explosive properties</b>	Not applicable
<b>Oxidizing properties</b>	Not determined
<b>Volatile Organic compounds - VOCs</b>	Not applicable
<b>Other information</b>	
<b>Miscibility</b>	Not applicable
<b>Conductivity</b>	Not applicable
<b>10. STABILITY AND REACTIVITY</b>	
<b>10.1. Reactivity</b>	This product has no significant hazards with respect to reactivity. Stable under normal conditions

## Масло Газпромнефть Редуктор CLP-68 (Gazpromneft Reductor CLP-68)

Revision 0  
Revision date 01.06.2015

<b>10.2. Chemical stability</b>	Stable under normal conditions. Will not decompose if stored and used as recommended.
<b>10.3. Passivity of hazardous reactions</b>	Will not occur. Stable under normal conditions.
<b>10.4. Conditions to avoid</b>	Elevated temperatures, sparks and open flames.
<b>10.5. Incompatible materials</b>	Strong oxidizing agents.
<b>10.6. Hazardous decomposition products</b>	Burning produces irritating, toxic and obnoxious fumes.
<b>11. TOXICOLOGICAL INFORMATION</b>	
<b>11.1. Information on toxicological effects</b>	
<b>Acute Toxicity</b>	No data available on this product.
<b>Acute Toxicity of base oil</b>	Acute oral/rat LD <sub>50</sub> > 5000 mg/kg Acute dermal/rabbit LD <sub>50</sub> > 2000 mg/kg Acute inhalation/rat LC <sub>50</sub> > 5000 mg/m <sup>3</sup>
<b>Acute Toxicity of long-chain alkyl amine</b>	Acute inhalation/rat LC <sub>50</sub> = 157 ppm (4 hours) Acute dermal/ rabbit LD <sub>50</sub> = 251 mg/kg (4 hours) Acute dermal rabbit LD <sub>50</sub> = 201 to 1000 mg/kg (4 hours)
<b>Skin corrosion/irritation</b>	Contains: long-chain alkyl amine. May produce an allergic reaction.
<b>Serious eye damage /irritation</b>	May cause irritation to eyes.
<b>Respiratory or skin sensitization</b>	The product has not been tested. Evaluation has been made through data of components.
<b>Carcinogenicity</b>	The product is not carcinogenic. Evaluation has been made through data of components. Base oils passed the test IP 346 (DMSO extractible compounds less than 3%) (Note H, L).
<b>12. ECOLOGICAL INFORMATION</b>	
<b>12.1. Toxicity</b>	This material is not expected to be harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.
<b>12.2. Persistence and degradability</b>	This material is not easily biodegradable. The product has not been tested.
<b>12.3. Bio accumulative potential</b>	No data is available on this product.
<b>12.4. Mobility in soil</b>	Do not let product contaminate subsoil.
<b>12.5. Results of PBT and vPvB assessment</b>	No PBT Ingredients are present.
<b>12.6. Other adverse effects</b>	No components with environmental hazard properties.
<b>13. DISPOSAL CONSIDERATIONS</b>	
<b>13.1. Waste treatment methods</b>	
	Dispose of in compliance with all local and national regulations.
<b>Disposal methods</b>	Contact a licensed waste disposal company.
<b>Disposal of packaging</b>	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
<b>Further information</b>	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

## Масло Газпромнефть Редуктор CLP-68 (Gazpromneft Reductor CLP-68)

Revision 0  
Revision date 01.06.2015

<b>14. TRANSPORT INFORMATION</b>	
Not classified as dangerous in the meaning of transport regulations.	
<b>14.1. UN number</b>	Not applicable.
<b>14.2. UN proper shipping name</b>	Not applicable.
<b>14.3. Transport hazard class(es)</b>	Not applicable.
<b>14.4. Packing group</b>	Not applicable.
<b>14.5. Environmental hazards</b>	Marine pollutant: No Environmental Pollutant: No
<b>14.6. Special precautions for user</b>	Not applicable.
<b>ADR/RID</b>	The product is not classified as dangerous for carriage.
<b>IMDG</b>	The product is not classified as dangerous for carriage.
<b>IATA</b>	The product is not classified as dangerous for carriage.
<b>15. REGULATORY INFORMATION</b>	
<b>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Dispositions about directives 82/501/CE, 96/82/CE (Seveso bis), 2003/15/CE (Seveso ter): German Water Hazard Class. - N.A. Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: None
<b>Chemical safety assessment</b>	No data available on this product.
<b>16. OTHER INFORMATION</b>	
<b>Text of Hazard statements in Section 3</b>	H302 Harmful if swallowed H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage H317 May cause an allergic skin reaction. H330 Fatal if inhaled H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
<b>Legend to abbreviations and acronyms used in the safety data sheet:</b>	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. CAS: Chemical Abstracts Service (division of the American Chemical Society). CLP: Classification, Labeling, Packaging. DMSO: Dimethyl sulfoxide.

**Масло Газпромнефть Редуктор CLP-68  
(Gazpromneft Reductor CLP-68)**

Revision 0  
Revision date 01.06.2015

<b>Legend to abbreviations and acronyms used in the safety data sheet:</b>	<p>EC<sub>50</sub>: Half Maximal Effective Concentration.          EINECS: European Inventory of Existing Commercial Chemical Substances.          IATA: International Air Transport Association.          IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).          LD<sub>50</sub>: Lethal Dose to 50 % of a test population.          LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.          PBT: Persistent, Bioaccumulative and Toxic substance.          vPvB: Very Persistent and Very Bioaccumulative.          WEL: Workplace Exposure Limit.</p>
<b>Further information</b>	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
<b>Revision</b>	New version