

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

Масло Gazpromneft Compressor S Synth-150

1. IDENTIFICATION OF T	THE SUBSTANCE/PREPARATION AND THE COMPANY	
1.1. Product Identifier		
Product name	Масло Gazpromneft Compressor S Synth-150	
	of the substance or mixture and uses advised against	
Description	Compressor oil	
1.3. Details of the supplier	"Gazpromneft – lubricants", Ltd,	
of the safety data sheet	125A, Profsoyuznaya str.,	
	Moscow, 117647, Russia.	
	Lubricants@gazprom-neft.ru Tal 17 405 642 99 69 (hattugar 9 AM and 6 PM Magazy time)	
	Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time)	
010	Fax +7 495 921-48-63	
Only Representative	REACHLaw Ltd.	
	Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland	
	Tel. +358(0) 9 412 3055	
	Email: sds@reachlaw.fi	
1.4. Emergency telephone	1-760-476-3962 (America)	
number	1-760-476-3961 (Europe, Middle East&Africa)	
	1-760-476-3960 (Asia Pacific):	
	Global Response Access Code: 333497	
2. HAZARDS IDENTIFICA		
2.1. Classification of the sub		
Main hazards	No Significant Hazard	
2.2. Label elements:		
Regulation (EC) No	The product is not classified as dangerous according to Regulation	
1272/2008 (CLP):	EC 1272/2008 (CLP).	
	Special Provisions:	
	EUH210: Safety data sheet available on request.	
Adverse physicochemical,		
human health and		
environmental effects:	No other hazards	
Ingredient(s) with		
unknown acute toxicity:	None	
2.3 Other hazards		
	No Significant Hazard	
Further information		
	This substance/mixture does not meet the PBT/vPvB criteria of	
	REACH, annex XIII.	
3. COMPOSITION/INFOR	MATION ON INGREDIENTS	
3.1 Substances		
	Not applicable: this product is regulated as a mixture.	

Reach

Revision Revision date 01.06.2015

Conc.

3.2 Mixtures (EC) No 1272/2008

Chemical Name	Index.No	CAS No	EC No	Registration Number	Conc. (%w/w)	Classification
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601- 36-0023	20-30	Product is not classified
Base oil - unspecified - Residual oils (petroleum), solvent-dewaxed	649-471-00-X	64742-62-7	265-166-0	01-2119480472- 38-0023	40-50	Product is not classified
Reaction products of Benzeneamine, N-phenyl-with nonene (branched)	-	-	253-249-4	01-2119488911- 28	0.1-0.5	Aquatic Chronic 4; H413
Description		All base oils contained in this product have a value of < 3% w				
Further inform	DMSO extract according to IP 346/92. Further information					
Turther miorm		Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.			nis section, are	
4. FIRST AID MEASURES						
4.1. Description		1				
Inhalation		Remove casualty to fresh air and keep warm and at rest.				
Eye contact		Wash immediately with water.				
Skin contact		Wash with plenty of water and soap.				
Ingestion		Do not induce vomiting, get medical attention showing the SDS and label hazardous.				
4.2. Most important symptoms and effects, both acute and delayed						
Inhalation		No further relevant information available.				
Eye contact		No further relevant information available.				
Skin contact		No further relevant information available.				
Ingestion		No further relevant information available.				
4.3. Indication of any immediate medical attention and special treatment needed				eded		
	Seek medical attention if irritation or symptoms persist				ersist	
5. FIRE-FIGHT						
5.1. Extinguish	ing media	Use extinguishing media appropriate to the surrounding fire				
		conditions (carbon dioxide (CO ₂); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.				
5.2. Special arising from thor mixture	hazards e substance	Burning produces irritating, toxic and obnoxious fumes.				

	Revision date 01.06.2015		
5.3. Advice for firefighters	Wear suitable respiratory equipment when necessary. Do not enter		
	any enclosed or confined fire space without proper protective		
	equipment, including self-contained breathing apparatus. Collect		
	contaminated fire extinguishing water separately. This must not be		
	discharged into drains. Move undamaged containers from		
	immediate hazard area if it can be done safely.		
6. ACCIDENTAL RELEAS	SE MEASURES		
6.1. Personal precautions,	Wear personal protection equipment.		
protective equipment and	Remove persons to safety.		
emergency procedures	See protective measures under point 7 and 8.		
6.2. Environmental	Do not allow to enter into soil/subsoil. Do not allow to enter into		
precautions	surface water or drains. Retain contaminated washing water and		
•	dispose it. In case of entry into waterways, soil or drains, inform		
	the responsible authorities. Suitable material for taking up:		
	absorbing material, organic, sand.		
6.3. Methods and material	Use appropriate techniques such as applying noncombustible		
for containment and	absorbent materials or pumping. Sweep up. Transfer to suitable,		
cleaning up	labeled containers for disposal. Clean spillage area thoroughly		
G 1	with plenty of water.		
6.4. Reference to other	See also section 8 and 13		
sections			
7. HANDLING AND STOR	AGE		
7.1. Precautions for safe	Avoid contact with skin and eyes, inhaltion of vapours and mists.		
handling	Do not eat or drink while working.		
	See also section 8 for recommended protective equipment.		
7.2. Conditions for safe	Keep in a cool, dry, well-ventilated area. Keep containers tightly		
storage, including any	closed. Stored in correctly labeled containers.		
incompatibilities			
7.3. Specific end use(s)	No further relevant information available.		
8. EXPOSURE CONTROL	S/PERSONAL PROTECTION		
8.1. Control parameters			
Base oil - unspecified -	WEL 8-hr limit mg/m ³ : 5.4 (aerosol)		
lubricating oils			
8.2. Exposure controls			
8.2.1. Appropriate	Material should be handled in enclosed vessels and equipment, in		
engineering controls	which case general (mechanical) room ventilation should be		
	sufficient. Local exhaust ventilation or adequate ventilation should		
	be used at points where dust, mist, vapors or gases can escape into		
	the room air.		
8.2.2. Individual	Wear protective clothing. Personal protective equipment should		
protection measures:	conform to appropriate standards, be suitable for use, be kept in		
	good condition and properly maintained.		
Eye/face protection	Eye protection: Safety Glasses.		
Skin protection-Hand	Wear suitable gloves. Wash hands after handling the product.		
protection			

Revision

Масло Gazpromneft Compressor S Synth-150

Revision date 01.06.2015 Use in ventilated area. Use respirator with a combination organic **Respiratory protection** vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites. **Hygienic and Technical** Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product. measures 9. PHYSICAL AND CHEMICAL PROPERTIES Homogenous, viscous liquid **Appearance** Petroleum odor Odour pН Not applicable < - 25 °C Pour point Initial boiling point and Not applicable boiling range Flash point > 220 °C (Cleveland Open Cup, ASTMD 92) Not applicable **Evaporation rate** 184 °C / 227 °C Upper/lower flammability Not applicable Vapour density Vapour pressure <0.01 kPa Not determined **Relative density Solubility in water** Insoluble Partition coefficient: n-Not determined octanol/water **Auto-ignition temperature** > 339 °C **Decomposition** Not applicable temperature $90,00 - 110,0 \text{ mm}^2/\text{s} \text{ (ASTM D 445)}$ Viscosity (at 40 °C) **Explosive properties** Not applicable Not determined **Oxidizing properties** Volatile Organic Not applicable compounds - VOCs Other information **Miscibility** Not applicable Not applicable **Conductivity** 10. STABILITY AND REACTIVITY This product has no significant hazards with respect to reactivity. 10.1. Reactivity Stable under normal conditions Stable under normal conditions. Will not decompose if stored and 10.2. Chemical stability used as recommended. Will not occur. Stable under normal conditions. 10.3. Passivity of hazardous reactions 10.4. Conditions to avoid Elevated temperatures, sparks and open flames. 10.5. Incompatible Strong oxidizing agents. materials 10.6. Hazardous Burning produces irritating, toxic and obnoxious fumes. decomposition products

Revision 0 Revision date 01.06.2015

11. TOXICOLOGICAL INFORMATION		
11.1. Information on toxicological effects		
Acute Toxicity	No data available on this product.	
Acute Toxicity of base oils	Acute oral/rat LD ₅₀ > 5000 mg/kg	
	Acute dermal/rabbit LD ₅₀ > 2000 mg/kg	
	Acute inhalation/rat $LC_{50} > 5000 \text{ mg/m}^3$	
Skin corrosion/irritation	Prolonged or repeated exposure may cause irritation to skin and	
	mucous membranes.	
Serious eye damage	The product has not been tested. Evaluation has been made	
/irritation	through data of components.	
Respiratory or skin	The product has not been tested. Evaluation has been made	
sensitization	through data of components.	
Carcinogenicity	The product is not carcinogenic. Evaluation has been made	
	through data of components. Base oils passed the test IP 346	
	(DMSO extractible compounds less than 3%) (Note H, L).	
Germ cell mutagenicity	Not Applicable	
Reproductive toxicity	Not Applicable	
STOT-single exposure	Not Applicable	
STOT-repeated exposure	Not Applicable	
Aspiration hazard	Not Applicable	
12. ECOLOGICAL INFOR	MATION	
12.1. Toxicity	Adopt good working practices, so that the product is not released into the environment.	

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
> 90 %	Base oil - unspecified - lubricating oils	CAS: 74869-22-0 EINECS: 278-012-2	EL ₅₀ a) Aquatic acute toxicity Daphnia Magna> 10000 mg/L 48h NOELR a) Aquatic acute toxicity Algae > 100 mg/L 72h LL ₅₀ a) Aquatic acute toxicity Fish > 100 mg/L 96h NOELR b) Aquatic chronic toxicity Daphnia Magna = 10mg/L 21 days NOELR b) Aquatic chronic toxicity Fish = 10 mg/L
0.1-0.5 %	Reaction products of Benzeneamine, N-phenyl- with nonene (branched)	EINECS: 253-249-4	LC ₅₀ (Zebra Fish, 4 d): > 100 mg/l EC ₅₀ (Water flea (Daphnia magna), 2 d): > 100 mg/l EC ₅₀ (Sludge, 0.1 d): > 1,000 mg/l

12.2. Persistence and	No date is available on this product.
degradability	-
12.3. Bio accumulative	No date is available on this product.
potential	
12.4. Mobility in soil	No date is available on this product.
12.5. Results of PBT and	No PBT Ingredients are present.
vPvB assessment	
12.6. Other adverse effects	No components with environmental hazard properties.

	Revision date 01.06.2015		
13. DISPOSAL CONSIDER	RATIONS		
13.1. Waste treatment methods			
Disposal methods	Dispose of in compliance with all local and national regulations.		
•	Contact a licensed waste disposal company.		
Disposal of packaging	Do NOT reuse empty containers. Empty containers can be sent for		
1 1 8 8	disposal or recycling.		
Further information	For disposal within the EC, the appropriate code according to the		
	European Waste Catalogue (EWC) should be used.		
14. TRANSPORT INFORM			
	n the meaning of transport regulations.		
14.1. UN number	Not applicable.		
14.2. UN proper shipping	Not applicable.		
name	Two applications		
14.3. Transport hazard	Not applicable.		
class(es)	Two applicable.		
14.4. Packing group	Not applicable.		
14.5. Environmental	Marine pollutant: No		
hazards	Environmental Pollutant: No		
14.6. Special precautions	Not applicable.		
for user	Not applicable.		
ADR/RID	The product is not elegatified as dengarous for corriege		
	The product is not classified as dangerous for carriage.		
IMDG	The product is not classified as dangerous for carriage.		
IATA	The product is not classified as dangerous for carriage.		
15. REGULATORY INFOR			
15.1. Safety, health and	Dir. 98/24/EC (Risks related to chemical agents at work)		
environmental	Dir. 2000/39/EC (Occupational exposure limit values)		
regulations/legislation	Dir. 2006/8/EC		
specific for the substance	Regulation (EC) n. 1907/2006 (REACH)		
or mixture	Regulation (EC) n. 1272/2008 (CLP)		
	Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013		
	Regulation (EU) n. 453/2010 (Annex I)		
	Regulation (EU) n. 286/2011 (ATP 2 CLP)		
	Regulation (EU) n. 618/2012 (ATP 3 CLP)		
	Dispositions about directives 82/501/CE, 96/82/CE (Seveso bis),		
	2003/15/CE (Seveso ter):		
	German Water Hazard Class N.A.		
	Restrictions related to the product or the substances contained		
	according to Annex XVII Regulation (EC) 1907/2006 (REACH)		
	and subsequent modifications:		
	Restrictions related to the product: None		
Chemical safety			
assessment	No data available on this product.		
16. OTHER INFORMATION			
Text of Hazard statements	H413- May cause long lasting harmful effects to aquatic life		
in Section 3			
	*		

Legend to abbreviations and acronyms used in the	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
safety data sheet:	AND: European Agreement concerning the International Carriage
	of Dangerous Goods by Inland Waterways.
	CAS: Chemical Abstracts Service (division of the American
	Chemical Society).
	CLP: Classification, Labeling, Packaging.
	DMSO: Dimethyl sulfoxide.
	EC ₅₀ : Half Maximal Effective Concentration.
	EINECS: European Inventory of Existing Commercial Chemical Substances.
	IATA: International Air Transport Association.
	IATA-DGR: Dangerous Goods Regulation by the "International
	Air Transport Association" (IATA).
	LD ₅₀ : Lethal Dose to 50 % of a test population.
	LC ₅₀ : Lethal Concentration to 50 % of a test population.
	PBT: Persistent, Bioaccumulative and Toxic substance.
	vPvB: Very Persistent and Very Bioaccumulative.
	WEL: Workplace Exposure Limit.
Further information	The information supplied in this Safety Data Sheet is designed
	only as guidance for the safe use, storage and handling of the
	product. This information is correct to the best of our knowledge
	and belief at the date of publication however no guarantee is made
	to its accuracy. This information relates only to the specific
	material designated and may not be valid for such material used in
	combination with any other materials or in any other process.
Revision	New version